

cab
HEAD OF "P" BRANCH
15 MAR 1944

RESTRICTED

A.F.O. 6895/44

FOR OFFICIAL USE ONLY

Not to be communicated to anyone outside H.M. Service

ADMIRALTY FLEET ORDER

OBSOLETE RADIO STORES—DISPOSAL OF

ADMIRALTY, S.W.1,
28th December, 1944.

The following Order having been approved by My Lords Commissioners of the Admiralty is hereby promulgated for information and guidance and necessary action.

By Command of their Lordships,

H. V. Markham

To all Commanders-in-Chief, Flag Officers, Senior Naval Officers, Captains and Commanding Officers of H.M. Ships, Vessels and C.O. Craft (See A.F.O. 3758/44) Superintendents or Officers in Charge of H.M. Naval Establishments, and Admiralty Overseers concerned.

NOTE:—The scale of distribution is approximately half that shown in the Admiralty Fleet Order Volume, 1941, Instructions, paragraph 10.

HEAD OF "P" BRANCH

6895.—Obsolete Radio Stores—Disposal of

(N.S. 22912/44.—28 Dec. 1944.)

All stocks of the items detailed in Appendix A and Appendix B should be disposed of to the best advantage at yards abroad and in accordance with A.F.O. 3118/43 at home. No returns should be taken on main or repairable ledger charge.

2. Patterns marked * carry free-issue components. Care should be taken to ensure that any components likely to be of future service are withdrawn and taken on charge as separate items.

3. The Authorized List will be amended.

APPENDIX A

Pattern	Description	Service and Remarks
W128 ...	Switch—unit ...	D/F outfits FC1/2, FC4/5 and FH2.
W162*	Mount ...	Type 57D/DR
W163 ...	Cupboard, stowage ...	Type 57D/DR
164 ...	Mount ...	D/F outfit FC1
W185*	Filter unit ...	D/F outfits FH2, FC1 and LM1.
204 ...	Die-casting ...	Free issue components of obsolescent items.
205 ...	Die-casting ...	
206 ...	Die-casting ...	
211 ...	End fitting ...	
W212 ...	Key, magnetic ...	
217 ...	Die-casting ...	Types 1 and 2.
224 ...	Die-casting ...	Superseded by Pattern W334
232 ...	Converter ...	Free-issue components of obsolescent items.
233 ...	Starter for converter, Pattern 232.	Type 34M—superseded by Pattern 2316. A.F.O. 1224/43 authorized disposal of repairable stock.
235 ...	Moulding ...	Type 34M. A.F.O. 5431/42 authorized disposal of repairable stock.
240 ...	Discs ...	Free-issue component of obsolete equipment.
266 ...	Spreader ...	Power generator, Pattern 2150A—see below.
272 ...	Bearing bush ...	Type 4.
276 ...	Insulator ...	Converter, Pattern 232—see above.
295 ...	Motor ...	Type 2. A.F.O. 5431/42 authorized disposal of repairable stock.
302 ...	Armature ...	Converter, Pattern 232—see above.
309/A ...	Detector ...	—
310 ...	Key ...	Types 2, 4, 10 and 13. A.F.O. 5431/42 authorized disposal of repairable stock.
311/A ...	Contact ...	Key, Pattern 310
312 ...	Switch ...	Type 2. A.F.O. 1224/43 authorized disposal of repairable stock.
322 ...	Connection ...	D/F outfits FC1 and FC2.
329 ...	Moulding ...	Free-issue component of obsolete equipment.
W332*	Power unit ...	Type 60EU/ERU
365/A ...	Bracket ...	Outfit ZAX3
368 ...	Support ...	D/F outfits FA1-3
369 ...	Cover ...	D/F outfits FA1-3 and FC1/2
W390*	Plug and socket ...	Queen Bee equipment
W391 ...	Reels for Pattern W390 ...	
399* ...	Rectifier unit ...	
		Stocks of Pattern 399A to be retained.

Pattern	Description	Service and Remarks
W396 ...	Plug ...	Queen Bee equipment
W397 ...	Cover for Pattern W396 ...	
415 ...	Bar, support ...	
425 ...	Contacts ...	
428 ...	Starters for motor-alternators,	Type 36M. Motor-alternators, Patterns 427 and 431A superseded by Patterns 7104/N and 7100A/N respectively.
432 ...	Patterns 427 and 431A.	
433 ...	Regulator for motor-alternators, Patterns 427 and 431A.	Type 36M. Motor-alternators, Patterns 427 and 431A superseded by Patterns 7104/N and 7100A/N respectively.
W434*...	Adaptor unit ...	Type 75D.
435 ...	Alternator ...	Type 1.
436 ...	Starter ...	
438/A ...	Regulator ...	
441/A ...	Switch ...	Type 47.
447*	Switch ...	Stocks of Pattern 441B to be retained.
448 ...	Switch ...	D/F outfit FM9.
449 ...	Switch ...	Types 15 and 16. A.F.O. 1224/43 authorized disposal of repairable stocks.
451 ...	Ammeter ...	Type 1
451A ...	Shunt for ammeter, Pattern 451.	
454 ...	Ammeter ...	Type 18. N.B.—Stocks of shunt Pattern 454B to be retained.
454A ...	Shunt for ammeter, Pattern 454.	
455 ...	Ammeter ...	Type 45. N.B.—Stocks of shunt, Pattern 455B to be retained.
455A ...	Shunt for ammeter, Pattern 455.	
456 ...	Ammeter ...	Types 45 and 75. N.B.—Stocks of shunt, Pattern 456B to be retained.
456A ...	Shunt for ammeter, Pattern 456.	
462A ...	Resistance ...	Type 1.
466 ...	Horn ...	
475A*	Switch ...	D/F outfits FM2 and earlier.
476A*	Switch ...	
485 ...	Coils ...	Type 1.
486 ...	Coils ...	
489 ...	Coils ...	
500 ...	Condenser ...	Type 9. A.F.O. 1224/43 authorized disposal of repairable stocks.
W501*...	Connection ...	Types 60EU/ERU.
507 ...	Air escape ...	Type 1.
W515*	Lamp fitting ...	Components of connections, Pattern W501.
W516*	Socket ...	
526 ...	Cord, insulating ...	Type 1.
532 ...	Armature, spare for alternator, Pattern 435.	Type 1.
534 ...	Switch ...	Types 33 and 45.
W539 ...	Mounting ...	—
542 ...	Ammeter ...	Type 72X.
550 ...	Insulator ...	—
567 ...	Fitting ...	Type 9.
W577 ...	Switch ...	Type 57D/DR—Superseded by Pattern W1182A.
W599*	Relay ...	—
W600 ...	Relay unit ...	—

Pattern	Description	Service and Remarks
W603 ...	Insulator ...	Component of Transformer, Pattern 7538—Types 46 and 47.
604 ...	Coil ...	Type 9.
681 ...	Bearing bush ...	Type 1.
682 ...	Rings, for motor-alternator, Pattern 431A.	See Patterns 428 and 432 above.
710 ...	Belt for generator, Pattern 2150A.	Types 5 and 6.
757 ...	Box ...	Type 1.
785 ...	Transformer ...	Type 1.
786 ...	Insulator ...	Stocks of Pattern 786A to be retained.
W788*	Junction Box ...	D/F outfit FM5.
808 ...	Insulator ...	Type 9.
836 ...	Contacts for coil, Pattern 538	Type 2.
837 ...	Insulator ...	Type 2.
840 ...	Insulator ...	Type 27. Component of transformer, Pattern 966 (Type 34M).
845 ...	Bearing bush ...	Type 2.
848 ...	Clips ...	Type 2.
855 ...	Connection ...	—
868 ...	Feeder end piece ...	—
W883* ...	Fittings ...	Aerial outfit ATB for Types 72 and 72D (superseded by Aerial Outfit ATC for types 72M and 72DM, 72P and 72DP).
W884* ...	Fittings ...	
W885* ...	Fittings ...	
W886 ...	Tie-bars ...	
884 ...	Connections ...	D/F outfits FA1-3
885 ...	Connections ...	D/F outfits FA6, FC1/2 and FH2
906 ...	Washers ...	Component of frame coil S17, Pattern 5653, which is superseded by S19 and S22.
956 ...	Insulators ...	D/F outfit AH1.
957 ...	Insulators ...	
958 ...	Insulators ...	
959 ...	Insulators ...	
961 ...	Condenser, spare plates for	
969 ...	Starter ...	
1001 ...	Box ...	Type 33
1006*	Transmitter 6F ...	Type 9
1009 ...	Cover ...	Type 34M—Superseded by Patterns W3745 or W4342
1029/A ...	Cards ...	Outfit SD.
1030/A ...	Cards ...	Formerly allowed for Types 37 and 49 series. A.F.O. 1118/44 authorized disposal of repairable stock.
W1052 ...	Radiogoniometer ...	Type 83.
W1058*	Connections ...	Type 47.
1060 ...	Coil ...	D/F outfits FA4/5.
1061 ...	Oscillator ...	D/F outfits FA3, FA5, FC2, FC5, FM5, FH5.
1063 ...	Card ...	Type 46
1076*	Dial ...	S/T 106
1086 ...	Clip ...	Stocks of Pattern 1063A to be retained.
1088 ...	Cards ...	Stocks of Pattern 1076A to be retained.
1089 ...	Cards ...	—
1105 ...	Coupling ...	Type 36SX
1160* ...	Stabilizer 4G ...	Type 44
Special	Stabilizer 4G ...	Type 43—A.F.O. 4205/43 authorized disposal of repairable stock.

Pattern	Description	Service and Remarks
W1176...	Bracket ...	D/F outfits FC4 and FC5
W1177...	Mount for inductance, Pattern 1323.	D/F outfit FM2 (N.B. Inductance, Pattern 1323, superseded by Pattern W.1638.)
1181 ...	Brush ...	Type 1
1189/A ...	Coil } For amplifier M11, Pattern 7484AK.	Disposal of repairable stocks authorized by A.F.O. 1118/44.
1190/A ...		
1191/A ...		
1192/A ...		
1193 ...	Wavemeter G3 ...	—
1206/K*	Tuner-amplifier B11 ...	Receiver Outfit CP
1212A ...	Tape Paper, gummed ...	Stocks of Pattern 1212 (ungummed) to be retained.
1217 ...	Adaptor ...	Receiver Outfit CN (component of Note—magnifier N9, Pattern 6957AK).
1218 ...	Adaptor ...	
1222 ...	Box with 7 range coils for tuner-amplifiers B11, Patterns 1206K/1265K.	Receiver Outfits CP, CQ, CQS and CR.
W1224 ...	Insulator ...	Aerial Outfit ARA
1224 ...	Insulator ...	—
1226 ...	Coils for tuner-amplifiers B11, Patterns 1206K and 1265K.	Receiver, Outfits CP, CQ, CQS and CR.
1227 ...		
1228 ...		
1229 ...		
1230 ...		
1231 ...		
1232 ...	Moulding ...	Superseded by Pattern 315
1236 ...	Choke ...	Component of amplifier M9, Pattern 8410K.
1244 ...	Washer ...	Aerial Outfit ARA
W1247 ...	Board ...	Retain stocks of Pattern 1248K
1248 ...	Equalizing-unit ...	Aerial Outfit ARA
W1251*	Transformer-unit ...	
W1252*	Box ...	
W1253	Box ...	
1254K*	Tuner A43 ...	Receiver Outfit SG
W1256 ...	Rings, joint ...	D/F Outfits FA3, FA5, FC2, FC5 and FM5.
1265K*	Tuner-amplifier B11 (rack-mounted).	Receiver Outfits CP, CQ, CQS, CR.
1274/A ...	Moulding ...	Superseded by Pattern 1686
1275/K*	Wavemeter G9 ...	Formerly allowed for TW12's
1277 ...	Connections ...	Type 1
1278 ...	Bracket ...	Receiver Outfit CP
1282/A*	Switch-unit ...	D/F Outfits RA1, RA2 and RM1
1283/A*	Switch-unit ...	D/F Outfits LM1
1284/K/KA*	Note Magnifier N20 ...	D/F Outfits AH1 and RM2, FA and FC series A.F.O. 4205/43, authorized disposal of repairable stock.
1286 ...	Sparking piece ...	Switches, Pattern 441/A
1288/K*	Heterodyne Unit K7 ...	As for Pattern 1284/K/KA
1292 ...	Condenser Units ...	Free-issue components of obsolete instruments. 1,000 of each to be retained by Haslemere.
1293 ...		
1295 ...	Card ...	Retain stocks of Pattern 1295A
1302 ...	Diaphragms for telephones, Pattern 1301.	No further returns of telephones, Pattern 1301 to be taken on B14 (repairable) charge.
1303 ...	Telephone headgear ...	Superseded by Pattern 3662
1316* ...	Radiogoniometer S26 ...	D/F outfits LM1 and LM2

Pattern	Description	Service and Remarks
1318/K*	Tuner A46	D/F outfit RM2. A.F.O. 4205/43 authorized disposal of repairable stock.
1329	Brush	Converter, Pattern 2316, disposal of which authorized in A.F.O. 1224/43.
1335	Armature, spare, for alternator, Pattern 1334.	It has been decided not to provide spare armatures for machines required for radio power supplies.
1364	Board	Type 47
1367*	Key, magnetic	Type 46
1369*	Key, magnetic	Type 46
1370	Contacts for Keys, Patterns 1367/9.	Type 46
1371	Bracket...	Retain stocks of Pattern 1371A
1377	Armatures, spare, for alternator, Pattern 431A.	See remarks for Patterns 428 and 432.
1378		
1393*		
1394/A*		
1395*		
1396*	Panels 3N	Type 46—disposal of Patterns 1391/2, and of repairable stock of Patterns 1393-8 and 1400, authorized by A.F.O. 4205/43.
1397*		
1398*		
1400*		
1399		
1405	Jack	Receiver outfit CN
1413	Mount	Receiver outfits CM and CQ
1423	Mount	Receiver outfit CQ
1424	Mount	Receiver outfit QL
1504	Coils	Type 51HX
1505		
1506		
1507		
1513*		
1527	Bulbholder	—
1528	Bulb	—
1529/A...	Quartz crystal holder	—
1536	Quartz crystal holder	—
1532	Mounting	Type 46
1535/A/AK/K*	Board, rectifying	A.C. supply outfit DDC
1537/A/AK/K*	Board, distributing	A.C. supply outfit DDC
1543	Resistance	Type 46 (Component of Panels 3N). Not to be confused with resistance rod, Pattern W.1543.
1544	Resistance	Type 46 (Component of Panels 3N). Not to be confused with resistance rod, Pattern W.1544.
1563	Motor	Type 2
1564	Armature for motor, Pattern 1563.	Type 2
1568	Armature	Motor, Pattern 1567, disposal of which authorized by A.F.O. 1118/44. Not to be confused with condenser, Pattern 1568.
1572	Coils	Type 2
1574		
1575		
1588*	Switch	Type 46
1591*	Wave indicator	
1592*	Wave indicator	

Pattern	Description	Service and Remarks
1597	Junction box	Type 75D
1598	Junction box	Type 75D
W1599	Moulding	Socket block, Pattern 1686
1620	Mounting	Type 46
1625	Base	Types 5 and 6
W1639	Support	D/F outfits FA4/5
W1649	Bracket	D/F outfits FC4/5
1655	Clip	Types 4, 9 and 10
1656	Clip	
1668	Transformer	
1693	Mounting	Type 46 (Panels 3N)
1694	Coil	Type 46 (Panels 3N)
1744	Coil	Type 18
1798	Contacts	Coil, Pattern 1784, disposal of, which authorized by A.F.O. 5431/42
1799	Contacts	
1807A	Insulator	—
1836	Insulator	Types 16 and 18
1865	Contacts	Tanks, Pattern 1008, disposal of, which authorized by A.F.O. 1224/43
1866		
W1985	Bracket	D/F outfit FC4
W1987	Bracket	D/F outfit FA4/5
W1997	Table tops	D/F outfit FC4/5
2000	Coil	Types 5 and 6
2001	Box	
2002	Coil	
2003	Switch	
2004	Terminals	
2005	Insulators	Type 6
2009	Transmitter	
2010	Insulator terminal	Transmitter, Pattern 2009
2011	Spark gap	
2012	Spark disc	
2014	Glasses	
2019	Washers	
2022	Ammeter	Type 18
2149	Box	Types 5 and 6
2150A	Power generator	
2156	Bush	Power generator, Pattern 2150A
2157	Bush	
2265	Armature	Converters, Patterns 1118 and 2316, disposal of which authorized by A.F.O. 1224/43
2267	Coil	
2320	Frequency meter	Types 2, 10 and 13. A.F.O. 1224/43 authorized disposal of repairable stock
W2339	Dipole unit	Aerial outfit ARB for receiver outfit CDB
2406	Clip	Types 2 and 13
2407	Clip	
2408	Cable-eye	Type 2
W2425	Frame coil S23	D/F outfit RA3
W2452	Mast wood	
2470	Bearing	Spark gap for Type 2
2471	Insulator	
2473	Condenser	
		Obsolete receiver and D/F outfits. A.F.O. 1224/43 authorized disposal of repairable stock.
2615	Coil	Retain stocks of Patterns 2615A/B
2616	Bracket	Tuners A.46 and A.47
W2615	Dipole-unit	Aerial outfit ARC for receiver outfit CDB
W2616	Mast	

Pattern	Description	Service and Remarks
W2617	Rack	Receiver outfit CDB
W2618	Rack	D/F outfit RA3
2624	Cards	Type 46
2625	Cards	Superseded by Pattern 3770
W2881	Reflector unit	D/F outfit FV2
W2882	Dipole unit	
W2898	Cover	Receiver outfit CDB
W2899	Cover	D/F outfit RA3
2966	Converter	D/F outfits RA2 and RC1
2994	Resistance	Type 46 (Boards 2N)
3158	Alternator	Type 10. A.F.O. 1224/43 authorized disposal of repairable stock
3160	Starter for alternator, Pattern 3158.	Type 10. A.F.O. 1224/43 authorized disposal of repairable stock.
3162	Armature for alternator, Pattern 3158.	Type 10
3176/A	Regulator	Type 9
3187	Alternator	As for Pattern 3158.
3189*	Box	Retain stocks of Pattern 3189A
W3218*	Junction box	D/F outfit RA3
W3469	Frame coil	
3587	Desiccator	Superseded by Pattern 948 (Subhead E.6).
W3718	Dipole unit	D/F outfit RA3 and receiver outfit CDB
3743	Key, magnetic	Type 18
3756	Cards	Type 46
3757	Cards	Type 47
3770	Cards	Retain stocks of Pattern 3770A
3771	Arc spares	Types 14 and 15
3941	Gasket	Arc sets
3942	Carbon	
3945	Control unit	D/F outfits RA1/2 and RC1
3948	Resistance	Types 14, 15 and 16. A.F.O. 1224/43 authorized disposal of repairable stocks.
3949	Coil	Retain stocks of Pattern 3949A/B
3965	Motor	Types 14, 15 and 16. A.F.O. 1224/43 authorized disposal of repairable stocks.
3996	Motor generator	Types 15 and 16. A.F.O. 1224/43 authorized disposal of repairable stocks.
3997	Stands	1224/43 authorized disposal of repairable stocks.
3998	Regulator	
3999	Armature	Motor generator, Pattern 3996
4058	Armature	Type 18
4065	Armature	Type 18
4069	Bearing	Type 18. Retain Patterns 4069A/B
4070	Box of spares	Type 18
4072	Bearing	Type 18
4073	Box of spares	Type 18
4078	Insulator	Type 18
4163/X	Arc	Type 18
4164	Anode	Type 18—see under Arc in Rate Book.
4165	Cathode sheath	
4166/X	Carbon holder	Type 18—see under Arc in Rate Book.
4167	Alcohol supply fitting	
4168	Spares	Type 18—see under Arc in Rate Book.
4169	Spring for safety valve	

Pattern	Description	Service and Remarks
4170/A	Washers	Type 18—see under Arc in Rate Book.
4171	Rings	
4172	Rings	
4173	Washer	
4175	Vapourizer	
4176	Spanner	
4177	Bush	
4178	Tube, glass	
4179	Insulator	
4180	Section of field coil	
4181	Box for spares	Type 18
4182	Box for spares	
4188	Ammeter	Type 18
4191	Fittings	Type 18
4195	Inductance coupling	Buzzer tester, Pattern 1713, disposal of which authorized by A.F.O. 1118/44 (see under Buzzer in Rate Book).
4196	Washer	Types 14 and 15
4198	Washer	Types 14, 15 and 16
4199/X	Tubes	
4226	Field coil	Type 18
4229	Carbon holder	Types 14 and 15. See under Arc in Rate Book. N.B.—Bush Pattern 4242 not to be confused with silica parts, Pattern 4242
4231	Spring	
4233/A	Washer	
4234	Ring	
4235	Ring	
4238	Spanner	
4239	Vapourizer	
4240	Coil	
4241	Washer	
4242	Bush	
4243	Box of spares	Oscillators, Patterns 4250/1
4278/A	Coil	
4279/A	Coil	Type 18
4287	Motor	
4290	Coil	Motor, Pattern 4287
4292	Wheel	Type 2. Disposal of repairable stock authorized by A.F.O. 1224/43.
4293	Wheel	
4341	Ammeter	Motor, Pattern 4287
4366	Clamp	Types 14, 15 and 16
4367	Clamp	Type 18
4368	Bracket	Type 2
4412	Washer	Types 14 and 15. See under Arc in Rate Book.
4420A	Box, battery (F2A)	Types 4 and 10. A.F.O. 1224/43 authorized disposal of repairable stock.
4433	Armature	Type 16
4438	Stand	Types 14, 15 and 16
4449/A*	Stand	Transmitter 6F, Pattern 1006
4532	Container	Types 14, 15 and 16
4535	Discs, insulating	Type 18
4548	Lampholder	Superseded by base, Pattern 1324 and lampholder, Pattern 7990A (latter F2B).
4550	Washer	Types 14 and 15 } See under Arc in Rate Book.
4592	Tip for electrode	Type 18
4629	Condenser	Wa/T Type 404.
4668	Insulator	Insulators, Patterns 5492 and 5678 (see below).

Pattern	Description	Service and Remarks
4720 ...	Starter ...	Converter, Pattern 4719— A.F.O. 1224/43 authorizes disposal of all stocks of Pattern 4719, and of repairable stocks of Patterns 4720/1.
4721 ...	Regulator ...	
4724 ...	Bearing ...	
4734 ...	Diaphragm ...	Converter, Pattern 4719
4759 ...	Chamber ...	Chamber, Pattern 4733, disposal of which authorized by A.F.O. 1224/43.
4760/A...	Diaphragm ...	Type 18
4829 ...	Board ...	Chamber, Pattern 4759
4833 ...	Coil ...	Formerly allowed for A.C. supply outfit DDD.
W4838...	Motor ...	Radiation meters
4843 ...	Clips ...	Superseded by Pattern W5639
4850/A ...	Motor generator ...	Transmitter, Pattern 4842, disposal of which authorized by A.F.O. 1118/44.
4852/A...	Regulator ...	
4853 ...	Resistance ...	
4856 ...	Box ...	Type 31
4858/A...	Condenser ...	Type 31 { A.F.O. 1224/43, authorized disposal of repairable stock.
4883 ...	Motor generator ...	Type 31 { A.F.O. 1123/43 authorized disposal of repairable stock.
4892/A...	Motor generator ...	Type 31 { A.F.O. 1224/43 authorized disposal of repairable stock.
4894/A...	Regulator ...	Type 31 { A.F.O. 1224/43 authorized disposal of repairable stock.
4907 ...	Clamp ...	Type 18
4939 ...	Arrester...	Transmitter 4H, Pattern 7630A, disposal of which authorized by A.F.O. 4205/43. A.F.O. 5758/43, authorized disposal of repairable stocks of Pattern 4939.
4978 ...	Labels ...	Type 46
4985 ...	Condenser ...	Type 14. A.F.O. 1224/43 authorized disposal of repairable stock.
5003 ...	Bracket ...	Type 36S
5004* ...	Push ...	Wa/T Types 402, 403 and 404, A.F.O. 5758/43 authorized disposal of repairable stock.
5057 ...	Air trunk ...	Types 36S, 39 and 47
5063 ...	Packing ebonite ...	—
5069 ...	Resistance rod ...	Types 4, 9, 10 and 13
5073 ...	Coil ...	D/F outfits RA1/2 and RC1
5085 ...	Framework ...	D/F outfits RA, RM and FA series. A.F.O. 4205/43 authorized disposal of repairable stock of Pattern 5085.
5086 ...	Framework ...	
5087 ...	Cover ...	D/F outfits RM1/2
5089 ...	Shearing pin ...	Formerly allowed for aerial outfit, Group S.

Pattern	Description	Service and Remarks
5092* ...	Heterodyne detector E27 ...	D/F outfits RA, FA and FC series. A.F.O. 4205/43 authorized disposal of repairable stock.
5098 ...	Buzzer ...	Buzzer tester, Pattern 1713, disposal of which authorized by A.F.O. 1118/44.
5099 ...	Wheel ...	Types 4, 9, 10 and 13
5100 ...	Plug ...	Wheel, Pattern 5099
5102 ...	Motor ...	Types 4, 9, 10 and 13. A.F.O. 5431/42 authorized disposal of repairable stock.
5103 ...	Armature ...	Motor, Pattern 5102.
5105 ...	Starter ...	Motor, Pattern 5102. A.F.O. 1224/43 authorized disposal of repairable stock.
5141 ...	Framework ...	D/F outfits FA6, FC1/2 and FH2.
5142* ...	Switch-unit ...	D/F outfits FA1-6, FC1/2 and FH2.
5148 ...	Board ...	Type 102
5149* ...	Box ...	D/F outfits FA1-6, FC1/2, FC4/5, FH2.
5150 ...	Coil ...	Oscillators, Patterns 4250/1, disposal of which authorized by A.F.O. 1118/44.
5157 ...	Cylinder ...	
5171 ...	Key, magnetic ...	Superseded by Pattern W212
5191/A ...	Air trunk ...	Type 36S
5204 ...	Cover ...	Box, Pattern 5149
5211 ...	Cable eye ...	Retn. stock of Pattern 5211A
5224 ...	Coil ...	Type 33
5228 ...	Board ...	Type 34M. Retain stocks of Pattern 5228A.
5235/A ...	Condenser ...	Superseded by Pattern 5001
5237 ...	Switch ...	Type 46
5239 ...	Contacts ...	Switch, Pattern 5237
5240 ...	Ammeter ...	Type 33
5241 ...	} Motor generators ...	Type 34/A
5242 ...		Rectifier ...
5252* ...	Bracket ...	Type 33
5253 ...	Diecasting ...	—
5256 ...	Mount ...	Heterodyne unit K7, Pattern 1288/K—see above.
5276 ...	Mount ...	Heterodyne unit K7, Pattern 1288/K—see above.
5299 ...	Mounting ...	—
5306/A ...	Rings ...	Wavemeters G2 and G3, Patterns 1193 and 8424 covered by this A.F.O.
5327 ...	Guard for alcohol-container ...	Type 18—see under "Arc" in Rate Book.
5363 ...	Cupboard ...	D/F outfit RC1
5397 ...	Battery leads ...	D/F outfits AH1 and RM2
5399 ...	Battery leads ...	D/F outfit AH1
5422A ...	Tuner A4 ...	Receiver outfits CE and CG, A.F.O. 5431/42 authorized disposal of Pattern 5422.
5423 ...	Bracket ...	Type 83
5426* ...	Switch ...	Type 51HV/FHV
5436* ...	Switch ...	Type 51HV/FHV
5439 ...	Insulator ...	Aerial outfits AB, M and S
5440 ...	Insulator ...	Aerial outfits AB, M and S
5442* ...	Frame ...	Type 60 EV/FV
5450 ...	Connection ...	D/F outfit AH1

Pattern	Description	Service and Remarks
5451 ...	Connection ...	D/F outfit RM2
5469 ...	Diecasting ...	—
5470 ...	Diecasting ...	—
5478/K ...	Amplifier ...	Receiver outfit SGX—A.F.O. 4205/43 authorized disposal of repairable stocks.
5482 ...	Resistance rod ...	Rendered obsolete by introduction of adaptors, Patterns 1217/8.
5483 ...	Resistance rod ...	
5486 ...	Insulator ...	Aerial outfits AB, E, M, N, P and V.
5487 ...	Guard ...	Aerial outfits AB, M and S
5488 ...	Guard ...	Aerial outfits AB, M and S
5489 ...	Guard ...	Aerial outfit group M
5491 ...	Thimble ...	Insulator, Pattern 4668 (<i>see above</i>).
5492 ...	Insulator ...	Superseded by insulators, Patterns 1041 and 1043.
5520 ...	Coil ...	Receiver outfits CP, CQ, CQS and CR.
5521 ...	Coil ...	Receiver outfits CP, CQ, CQS and CR
5528 ...	Sleeves ...	Guard, Pattern 5487 (<i>see above</i>)
5531 ...	Plugs ...	Transmitter outfit 4TB
5539 ...	Mount ...	Receiver outfit CSA
5639* ...	Board 2 RA ...	Type 47
5640* ...	Board 2 RA ...	Type 47
5642 ...	Handle ...	Type 47
5643 ...	Label ...	Type 47
5651 ...	Conduit ...	D/F outfits FA6 and FH2
5652* ...	Frame coil 516 ...	Superseded by frame coils S19 and S22.
5678 ...	Insulators ...	Aerial outfits AB, E, M, N, P and V.
5679 ...	Transformer ...	Tuner-amplifier B5
5705 ...	Cap ...	—
5763 ...	Card ...	Receiver outfit CUA
5798/A/B ...	Motor-Generator ...	Obsolete battery outfits. A.F.O. 1118/44 authorized disposal of repairable stock.
5799/A/B ...	Motor generator ...	Obsolete battery outfits. A.F.O. 1118/44 authorized disposal of repairable stock.
5801 ...	Brush springs ...	M/G.s, Patterns 5798/9
5807 ...	Regulator ...	Retain stocks of Pattern 5807A
5898/A ...	Card ...	Type 46
5899 ...	Card ...	Types 3, 4, 9, 10, 12 and 13
5900 ...	Card ...	Types 1 and 2
5901 ...	Card ...	Type 38
6001 ...	Insulator ...	—
W6009 ...	Transformer ...	Rectifier unit, Pattern W4846 (not proceeded with).
W6010 ...	Transformer ...	Rectifier unit, Pattern W4846 (not proceeded with).
W6012 ...	Switch ...	Superseded by Pattern W4648
6037 ...	Spring ...	Key, Pattern 3743— <i>see above</i>
6074 ...	Transformer ...	Tuner-amplifier B3, Pattern 5992/K, disposal of which authorized by A.F.O. 5431/42.
6076 ...	Handle ...	—
6132 ...	Wormwheel ...	Motor, Pattern 3965, etc., <i>see above</i> .
6134 ...	Worm ...	Motor, Pattern 3965, etc., <i>see above</i> .

Pattern	Description	Service and Remarks
6197 ...	Bush ...	Types 14 and 15— <i>see under Arc in Rate Book.</i>
6198 ...	Sleeve ...	Types 14 and 15— <i>see under Arc in Rate Book.</i>
6199 ...	Flange ...	
6200 ...	Bush ...	
6201 ...	Bush ...	
6202 ...	Bush ...	Type 18— <i>see under Arc in Rate Book.</i>
6203 ...	Anode ...	
6204 ...	Sleeve ...	
6205 ...	Flange ...	
6209 ...	Resistance rod ...	As for Patterns 5482/3
6210 ...	Resistance rod ...	As for Patterns 5482/3
6211 ...	Resistance rod ...	As for Patterns 5482/3
6212 ...	Resistance rod ...	As for Patterns 5482/3
6217 ...	Cards ...	Model outfits C and SA
6218 ...		
6219 ...		
6220 ...		
6221 ...		
6222 ...		
6223 ...		
6224 ...	Binder ...	Retain stocks of Pattern 6226A Formerly allowed for Type 36S Stocks of Pattern 6275A to be retained.
6225 ...		
6226 ...		
6257/A ...	Ammeter ...	Types 39 and 47
6275 ...	Regulator ...	Board, Pattern 5419, disposal of which authorized by A.F.O. 5758/43.
6289/A ...	Switch ...	Obsolete battery outfits. A.F.O. 4205/43 authorized disposal of repairable stock.
6291* ...	Switch ...	—
6295 ...	Switch ...	—
6334 ...	Contacts ...	Type 81
6335 ...		
6336 ...		
6349* ...		
6355 ...	Condenser ...	Type 35
6370/K* ...	Note magnifier N7 ...	Receiver outfit UA
6373/A/AK/C/CK* ...	Heterodyne unit K5 ...	Obsolete receiver outfits. A.F.O. 5758/43 authorized disposal of certain repairable stocks.
6374/A ...	Scales ...	Heterodyne unit K5, Pattern 6373 series.
6375/A ...		
6376/A ...		
6377/A ...		
6487 ...	Coil ...	Formerly allowed for Type 36
6504/A ...	Coil, aerial ...	Retain stocks of Pattern 6504B/C.
6518* ...	Fitting ...	Type 46
6523 ...	Coil ...	Formerly allowed for Type 36
6524 ...	Terminal ...	Type 35S/M
6592 ...	Switch ...	Type 36SX
6593 ...	Moving system ...	Switch, Pattern 6592
6594 ...	Contacts ...	Switch, Pattern 6592
6595 ...	Contacts ...	Switch, Pattern 6592
6596 ...	Alternator ...	Retain stocks of Pattern 6596A/B.
6597/A-E ...	Alternator ...	Retain stocks of Pattern 6597F
6641 ...	Diecasting ...	—

Pattern	Description	Service and Remarks
6642/A*	Tuner-amplifier B16	Receiver outfit CUA
W6652...	Clip	Formerly for Pattern W6799
6684	Framework	}
6685	Framework	
6692	Handle	
6725	Switch	
6726	Moving system	Formerly allowed for Type 36
6727	Coil	Switch, Pattern 6725
6738	} Condenser units	Free-issue components of obsolescent instruments. 1,000, Pattern 6738, and 250, Pattern 6739, to be obtained by Haslemere.
6739		
6748	Linkboard	Formerly allowed for Type 36
6821	Transformer	Obsolete amplifiers
6894	Board terminal	Retain stocks of Pattern 6894A/B.
6871	Cards	Type 36SX
6957/A/AK/K*	Note magnifier N9	Receiver outfits CN and earlier, A.F.O. 4205/43 authorized disposal of repairable stock.
7053	Board, distributing	Type 38 and obsolete receiver outfits. A.F.O. 5758/43 authorized disposal of repairable stock.
7095	Coil	Type 49X
7109/A/B/M	Motor generator	Type 43. A.F.O. 4205/43 authorized disposal of repairable stock
7203/A	Card	Receiver outfits CE and CG
7209	Switch	Type 35S and 36SX
7223/A	Cards	Type 83
7225/A/B*	Transmitter 4G	Type 43. A.F.O. 4205/43 authorized disposal of repairable stock.
7230/A	Regulator	—
7263	Moving system	Retain stocks of Pattern 7263A
7275/M*	Condenser	Receiver outfits SC and earlier
7295*	} Panels 3NA	Type 46
7296*		
7302	Coil	Receiver outfits SC and earlier, A.F.O. 5788/43 authorized disposal of repairable stock.
7303/A*	Switch	Superseded by Pattern 717
7329/A	} Cards	Formerly allowed for Types 37 and 38.
7330/A/B		
7450/A*	Radiogoniometer S25	Outfit SD
7461/A*	Tuner A5	Obsolete receiver outfits. A.F.O. 1118/44 authorized disposal of repairable stock.
7473/A	Cards	Tuner A5, Pattern 7461/A
7483/A/AK/K*	Tuner A11	Superseded by Tuner A12, Pattern 1306K. A.F.O. 5758/43 authorized disposal of repairable stocks of Pattern 7483A/AK.
7484/A/V/AK/VK*	Amplifier M11	Superseded by amplifier M19, Pattern 1307K. A.F.O. 5758/43 authorized disposal of repairable stock of Pattern 7484 series.
7490A	Card	Tuner A11 and amplifier M11 Pattern 7483/4—see above.

Pattern	Description	Service and Remarks
7491	Wavemeter G6	Type 46. A.F.O. 4205/43 authorized disposal of repairable stock.
7493	} Condenser units	Free-issue components of obsolescent instruments. 1,000 Pattern 7493 to be retained by Haslemere. N.B.—A.F.O. 4517/44 authorized disposal of Pattern 7494 except for 500 at Haslemere, which should now be disposed of.
7494		
7496/A	Coil	Amplifier M11, Pattern 7484 (see above).
7503	Contact	Retain stocks of Pattern 7503A
7518/A/B/M	Alternator	Type 46 and S/T Type 105A
7519/A	Regulator	} Alternator, Pattern 7518
7520/A	Regulator	
7521/A	Regulator	
7522/A/M	Armature	
7538*	} Transformers	Types 46 and 47
7539		
7540		
7542		
7551	Ammeter	Type 45
7554	Ammeter	Type 27
7559	Ammeter	Type 47
7577	Voltmeter	Type 43
7603	Insulator	Aerial outfits AB. E, M, N, P and V.
7613	Guard	Insulator, Pattern 7603
7633	Contacts	Transmitter 4H, Pattern 7630A, disposal of which authorized by A.F.O. 4205/43.
7669	Desiccator	S/T Types 102, 104 and 105
7671	} Boards	S/T Type 104
7672		
7673		
7674		
7676	Switch	Board, Pattern 7673
7676	Board	Types 43 and 51HB. A.F.O. 4205/43 authorized disposal of repairable stock.
7683*	Transmitter 4K	Type 45. A.F.O. 4205/43 authorized disposal of repairable stock.
8206	Key, magnetic	Type 47
8207	Contact	Key, Pattern 8206
8208	Contact	Key, Pattern 8206
8209	Contact	Key, Pattern 8206
8210	Connection	Key, Pattern 8206
8228	Diaphragm	Oscillators, Pattern 4250/1, disposal of which authorized by A.F.O. 1118/44.
8249	Cushioning unit 4K	Transmitter 4K, Pattern 7683—see above. A.F.O. 4205/43 authorized disposal of repairable stock.
8251	} Boards	Type 45. A.F.O. 4205/43 authorized disposal of repairable stocks.
8252		
8253		
8265A	Key, magnetic	Type 43

Pattern	Description	Service and Remarks
8304 ...	Switch ...	Type 47
8306* ...	Holder ...	
8307* ...	Holder ...	
8309 ...	Resistance ...	
8317 ...	Coil ...	
8318 ...	Coil ...	
8322/A ...	Coil ...	
8327/A ...	Coil ...	Transmitter 4H, Pattern 7630A, disposal of which authorized by A.F.O. 4205/43.
8334 ...	Contacts ...	
8335 ...	Contacts ...	Retain stocks of Pattern 8320A
8320 ...	Bracket ...	Types 46 and 47
8339 ...	Coil ...	
8342/A ...	Switch ...	
8347 ...	Switch ...	
8349 ...	Switch ...	
8352 ...	Resistance ...	
8361 ...	Label ...	
8362 ...	Adaptor ...	Types 46 and 47. A.F.O. 5431/42 authorized disposal of repaired stock.
8364 ...	Condenser ...	
8373 ...	Coil ...	Type 47
8378 ...	Fittings ...	Retain stocks of Pattern 8378A/B
8388 ...	Condenser ...	Retain stocks of Pattern 8388A
8400* ...	Note magnifier N.17 ...	Obsolete hydrophone equipment
8403/K ...	Tuner-amplifier B.8 ...	Superseded by Pattern 8408
8405/A/AK* ...	Tuner A42 ...	Outfit SF. A.F.O. 4205/43 authorized disposal of repairable stock.
8406 ...	Tuner A7 ...	Outfit SF
8408/A/AK/B/ BK/C/CK*	Tuner amplifier B.9 ...	Outfit QL. A.F.O. 5758/43 authorized disposal of certain stocks.
8410/K* ...	Amplifier M.9 ...	Obsolete D/F and receiver outfits. A.F.O. 4205/43 authorized disposal of repairable stock.
8411/K* ...	Tuner-amplifier B.6 ...	Outfit QK
8424 ...	Wavemeter G2 ...	Type 75
8428 ...	Connection ...	Types 46 and 47
8430 ...	Box ...	Types 46 and 47
8444 ...	Coil ...	Types 46 and 47
8447 ...	Spark gap ...	Type 47
8503 ...	Motor generator ...	Wa/T, Type 402. A.F.O. 4205/43 authorized disposal of repairable stock.
8552 ...	Switch ...	Types 46 and 47
8578 ...	Contacts ...	
8579 ...	Contacts ...	S/T Type 105A
8584 ...	Oscillator ...	
8588 ...	Attachment ...	Type 44
8833/A* ...	Board ...	Retain stocks of Pattern 8833B
8842 ...	Board ...	Retain stocks of Pattern 8842A
8850 ...	Card ...	Retain stocks of Pattern 8850A
8851/A ...	Card ...	Receiver outfits CP, CQ and CR
8852/A ...	Card ...	Receiver outfits CMA, CMB and CMc
8855 ...	Card ...	Type 48Y
9594 ...	Fuze ...	Wa/T, Type 401
9602 ...	Contact ...	
9603 ...	Coil ...	
9604 ...	Coil ...	

Pattern	Description	Service and Remarks
M119 ...	Key, magnetic ...	A.F.O. 1224/43 authorized disposal of repairable stock
M122 ...	Key, manipulating ...	
M149 ...	Rheostat ...	
M150 ...	Rheostat ...	
M172 ...	Switchboard ...	
M175 ...	Switchboard ...	
M180 ...	Switchboard ...	
W887 ...	Box ...	Type 73X. List T48. N.B.—A.F.O. 4205/43 authorizes disposal of repairable stocks of all items except Patterns W.923, W.928 and W.963.
W888 ...	Box ...	
W889 ...	Box ...	
W890 ...	Box ...	
W900 ...	Box ...	
W901 ...	Box ...	
W902 ...	Box ...	
W903 ...	Box ...	
W904 ...	Box ...	
W905 ...	Bracket ...	
W906 ...	Bracket ...	
W923 ...	Connections ...	
W907 ...	Fittings ...	
7027 ...	Panel 7DY ...	
7028 ...	Panel 7DY ...	
W928 ...	Potentiometer ...	
W963 ...	Quartz crystal ...	
523 ...	Receiver 29 ...	
7022 ...	Transmitter 7DY ...	
W365 ...	Absorber unit 9A ...	Types 74X/MX—Permanent Stores List E.405.
W350 ...	Aerial ATA ...	
W366 ...	Attenuator unit 9A ...	
W346* ...	Board 2BG ...	
W860 ...	Board 2BH ...	
W355 ...	Fitting ...	
W356 ...	Fitting ...	
W345 ...	Frame ...	
W463 ...	Indicator ...	Types 74X/MX—Permanent Stores List E.405
W362 ...	Key, magnetic ...	
W841 ...	Key, magnetic ...	
W341 ...	Modulator 9A ...	
W347 ...	Mount ...	
W364* ...	Receiver Q10X ...	
W342 ...	Rectifier-unit 9A ...	
W859 ...	Rectifier-unit 9B ...	
W357 ...	Resonator ...	
W358 ...	Resonator ...	
W359 ...	Resonator ...	
W360 ...	Resonator ...	
W861 ...	Resonator ...	
W862 ...	Resonator ...	
W863 ...	Resonator ...	
W864 ...	Resonator ...	
W865 ...	Resonator ...	
W866 ...	Resonator ...	
W867 ...	Resonator ...	
W868 ...	Resonator ...	
W464 ...	Selector unit ...	
W871 ...	Selector unit ...	
W344 ...	Switch-fuse-unit ...	
W870 ...	Switch-fuse-unit ...	
W340 ...	Transmitter 9A ...	
W858 ...	Transmitter 9B ...	
W363 ...	Tools, set of ...	

Marconi Items—contd.

Pattern	Description	Service and Remarks	
W348 ...	Bar-rammers ...	Types 74X/MX—Consumable Stores List E.405	
W354 ...	Clamp ...		
W349 ...	Connections ...		
W351 ...	Connections ...		
W352 ...	Connections ...		
W869 ...	Connections ...		
W361 ...	Contacts ...		
W353 ...	Socket ...		
W7982...	Aerial tuning unit ...		Type 205 W/T set—Permanent Stores List E.483
W3328/A*	Box, connecting ...		
W3713*	Box of tools ...		
W3211*	Dial unit ...		
W3326/A*	Relay and thermal switch-unit ...		
W3285...	Rectifier unit ...		
W3327/A*	Selector unit ...		
W6841...	Switch unit ...		
W6895...	Test unit ...		
W9410...	Transformer ...		
W3089A*	Transmitter 5J ...	Type 205 W/T set—Consumable Stores List E.483	
W3171...	Box, battery ...		
W3213...	Crate for batteries (subhead F2A) ...		
W3391...	Plug ...		
W7161...	Resistance ...		
W3714*	Box of tools ...		
W3262...	Bracket ...		
W.4881 ...	Fitter unit ...		
W3261...	Mast ...		
W3471*	Receiver-unit comprising :—		Receiver outfit WJ—Permanent stores List E.483
W3091A	Case, steel ... 1		
W3315...	Containers, steel ... 2		
W3314...	Panel ... 1		
W3088*	Receiver ... 1		
W3136/A	Relay... 1		
W3137A	Selector unit... 1		
W3591...	Switch ... 1		
W5481...	Tube, copper ...		
W6840...	Aerial resistance unit ...	Receiver outfit WJ—Consumable Stores List E.483.	
W3473...	Cap, protective, for mast, Pattern W.3261 ...		
W9113...	Connectors, steel (bag of) ...		
W9137...	Socket ...		
W9112...	Connection ...		
		Component of mast, Pattern W.3261 for WJ.	
W383 ...	Course gear ...	Receiver outfit WG List E.489	
W1260...	Throttle control unit ...		
W1261...	Throttle control box ...		
W1262...	Receiver ...		
W1263...	Selector unit ...		
W1264...	Relay unit ...		
W1265...	Relay unit ...		
W1266...	Relay unit ...		
W1267...	Box battery ...		
W1268...	Oscillator unit ...		
W1269...	Switch ...		
W1270...	Relay unit ...		
W1272...	Moisture separator ...		
W1273...	Gauge pressure ...		
W1274...	Gauge pressure ...		

Marconi Items—contd.

Pattern	Description	Service and Remarks
W1275...	Valve, reducing, air ...	Receiver outfit WG List E.489
W2156...	Air valve ...	
W2315...	Box battery ...	
W2334...	Air drying unit ...	
W2336...	Box, junction ...	
W2337...	Lubricator ...	
W2338...	Switch unit ...	
W2603...	Filter unit ...	
W2681...	Box, battery ...	
W2930...	Throttle control unit ...	
W2975...	Throttle control box ...	
W3389...	Stand ...	
W3390...	Stand ...	

Appendix B. Radar Equipment

Pattern	Description	Service and Remarks
W.595 ...	Support ...	—
W1179...	Switch unit ...	—
W1466*	Gear box ...	—
W1513/A	Transformer ...	—
W1648...	Cement ...	—
W1718...	Deep ring ...	—
W2100*	Phase control unit ...	—
W5260...	Box ...	—
W6052*	Receiver ...	—
W6132...	Transformer ...	—
W6144...	Regulator ...	—
W6536*	Indicator ...	—
W4197...	Plug ...	—
W440*...	Boards ...	Retain W440A
W474/A*	Boards ...	Retain W474B Type 79/279
W931 ...	Mount ...	—
W495*...	Aerial pedestal... ..	Retain W662A
W662*...	Pedestal unit ...	
W747*...	Mast ...	
W750 ...	Rod ...	
W753*...	Connection ...	
W756*...	Support arm ...	
W759 ...	Support arm ...	
W854 ...	Support arm ...	
W1149*	Board terminal ...	
W2143...	Fitting ...	
W2944*	Diode switch ...	
W2948*	Transmitter and matching unit	
W4033...	Adaptor ...	
W4050*	Transmitter ...	
W4051/A*	Receiver ...	
W4055*	Panel ...	
W4056*	Switch ...	
W4278...	Mount ...	
W4280*	Connector ...	
W4306...	Rectifier ...	
W4313...	Transformer ...	
W4371*	Socket ...	
W4372*	Socket ...	
W4373*	Socket ...	
W4374*	Socket ...	
W4376*	Socket ...	
W4377*	Socket ...	
W4378*	Socket ...	
W4379*	Socket ...	
W4380*	Socket ...	

Appendix B. Radar Equipment—contd.

Pattern	Description	Service and Remarks	
W4383*	Plug ...	Type 241	
W4385*	Socket ...		
W4386*	Plugs, pair of ...		
W4387*	Plugs, pair of ...		
W4388*	Plug ...		
W4692*	Mixer ...	Type 252	
W3585*	Dipole group ...		
W3931...	Clamp ...		
W4255/A	Box storage ...	Type 269/U/UX	
W8222...	Indicator ...		
W2851*	Transmitter ...	Types 271, Marks I and II	
W2855*	Panel ...		
W2857*	Mount ...		
W4181*	Panel ...		
W238 ...	Alternator ...	Type 280	
W475 ...	Box ...		
W536 ...	Alternator ...		
W537 ...	Alternator ...		
W853 ...	Stub, earthing ...		
W932*	Limiting unit ...		
W1126/7*	Plugs ...		
W1866...	Support arm ...		
W1868...	Support arm ...		
W1871...	Connection ...		
W1872...	Connection ...		
W1874...	Bracket ...		
W933*	Receiver ...		Types 282/4/5 (a) Dispose of repairable stocks only. Accept no return. Separate instructions have been issued to Superintending Naval Store Officer, Haslemere.
W1293S	Board ...		
W1332P	Crate, packing ...		
W1334*	Receiver ...		
W1381...	Transformer ...		
W1653*	Box of spares ...		
W2124*	Receiver ...		
W2386*	Feeder group ...		
W2101*	Dipole group ...		
W2102/A*	Dipole group ...		
W2384...	Feeder group ...		
W2385*	Feeder Group ...		
W4057*	Blower heater ...	See (a) above for Pattern W3240	
W2022...	Motor ...		
W2025...	Starter ...		
W2542...	Transformer ...		
W3196*	Panel ...		
W3240...	Frame ...		
W3267...	Transformer ...		
W3301...	Transformer ...		
W3302A	Transformer ...		
W3305*	Temp. cont. unit ...		
W3400...	Plug ...	Types 286 MQ/PQ	
W3401...	Switch ...		
W3444*	Socket ...		
W3525...	Transformer ...		
W3688...	Coupling unit ...		
W3730...	Oscillator ...		
W4470...	Bracket ...		
W5783*	Filter unit ...		
W1863*	Plug ...		Types 287/8
W2434*	Board ...		
W2432*	Motor generator ...		
W2435...	Petrol engine ...		

Appendix B. Radar Equipment—contd.

Pattern	Description	Service and Remarks
W2273...	Transformer ...	Type 290
W2280/A	Transformer ...	
W2281...	Transformer ...	
W2587...	Panel ...	
W2588*	Panel ...	
W2589*	Receiver ...	
W2622*	Framework ...	
W2674/A*	Transformer ...	
W2699*	Wavemeter ...	
W2887*	Supply unit ...	
W3002*	Junction box ...	See (a) above for Pattern W4451.
W3003*	Junction box ...	
W3005*	Socket ...	
W3006*	Socket ...	
W3007*	Socket ...	
W3879...	Voltmeter ...	
W4451*	Socket ...	
W4452*	Socket ...	

(A.F.O. 3118/43.)

