

# navy today





# SHIPS OF THE ROYAL AUSTRALIAN NAVY

## Flagship



MELBOURNE ✓

## First Australian Destroyer Squadron



PERTH ✓



HOBART ✓



BRISBANE

## Second Australian Destroyer Squadron



VENDETTA ✓



VAMPIRE



DUCHESS

## Third Australian Destroyer Squadron



YARRA



PARRAMATTA




STUART ✓



DERWENT



SWAN



TORRENS

## First Australian Submarine Squadron



OXLEY



OTWAY




ONSLOW



OVENS



ORION



OTAMA

(Under Construction)

## First Australian Mine Countermeasures Squadron



SNIPE



CURLEW ✓



IBIS

## Australian Patrol Boat Squadrons



ACUTE



ADROIT



ARDENT



ATTACK



AWARE



BARRICADE



ADVANCE




BOMBARD



ASSAIL ✓



BARBETTE




BUCCANEER

## First Australian Training Squadron




DUCHESS

## First Australian Landing Craft Squadron




BALIKPAPAN



BRUNEI




LABUAN



TARAKAN



WEWAK



BETANO

## Support ships



STALWART ✓



SUPPLY ✓




MORESBY



FLINDERS



DIAMANTINA



KIMBLA




BASS



BANKS





## A modern navy

Although not large, the Royal Australian Navy compares well with navies of other middle powers. It is well armed and trained, technically advanced, and possesses a wide range of capabilities.

The main objective is to maintain a balanced general-purpose capability to meet all possible future operational situations. The present Fleet has capabilities in all facets of naval operations including interdiction, surface and anti-submarine warfare, naval air operations, surveillance and patrol, mine counter-measures, hydrography and oceanography and support for the other Services such as naval gunfire support and sea transport.

Briefly, the Navy's role is as follows:

- To organise, train and equip naval forces, including naval aircraft, for combat operations at sea;
- To provide naval support for land operations;
- To provide military sea transport support for the Australian Services; and
- To provide seaward defence of ports and anchorages.

In peacetime the Navy maintains operational effectiveness in the capabilities required for the above functions, including the maintenance of an effective standard for joint operations with the Army and the RAAF. In addition, as much as possible, the Navy contributes to national development and assists the civil population.

The ships and aircraft required to perform these tasks are described on the following pages.





## Aircraft carrier

Name	No.	Builder	Laid Down	First Com-Launched	Commissioned
MELBOURNE	21	Vickers-Armstrong Barrow-in-Furness	15/4/43	28/2/45	28/10/55
Displacement	20,320 tonnes				
Length	213.8 metres				
Beam	24.5 metres				
Armament	12 (4 twin, 4 single) 40/60 mm Bofors				
Machinery	Parsons single reduction geared turbines, 4 Admiralty 3-drum type boilers				
Speed	More than 20 knots				
Ship's Company	1,335 (includes 347 Carrier Air Group personnel)				
Aircraft	Douglas Skyhawk A4G jet fighter-bombers				
	Grumman Tracker S2E ASW aircraft				
	Westland Wessex ASW helicopters				
	Westland Wessex SAR helicopters				
	Westland Sea King Mk 50 ASW and SAR helicopters.				

The light aircraft carrier HMAS *Melbourne* is the Royal Australian Navy's flagship.

With her Skyhawk and Tracker fixed-wing aircraft and Sea King helicopters, which will replace the Westland Wessex 31B, *Melbourne* combines aerial defence of the Fleet with her anti-submarine role.

She also has a formidable strike capacity which was strengthened with the purchase of additional Skyhawk aircraft. She has a strike force which can be directed against either maritime or shore targets and can give ground support to the Army.

*Melbourne* embarked her present generation of aircraft in 1969 after an extended refit which included modifications to aid flying and aircraft handling.

In 1971 the ship received a rebuilt catapult, strengthened flight deck and other changes.

*Melbourne* was laid down in 1943 as HMS *Majestic*, at the same time as HMS *Terrible* (later HMAS *Sydney*) and was launched in 1945.

With the end of World War II, work on *Majestic* stopped pending a decision on future requirements. Arrangements were then made for the ship to be taken over by the RAN and renamed HMAS *Melbourne*.

Construction resumed in 1949 with modifications including increasing the size of the flight deck lifts to handle larger aircraft and later fitting an angled flight deck, steam catapult and mirror landing system.

*Melbourne* was commissioned into the RAN on 28 October 1955 and after working up in British waters with her Sea Venom and Gannet aircraft she sailed for Australia, arriving in Sydney on 10 May 1956.





## Guided missile destroyers

Name	No.	Builder	Laid Down	First Com-Launched	First Com-missioned
PERTH	38	Defoe Shipbuilding Co Bay City Mich	21/9/62	26/9/63	17/7/65
HOBART	39	Defoe Shipbuilding Co Bay City Mich	26/10/62	9/1/64	18/12/65
BRISBANE	41	Defoe Shipbuilding Co Bay City Mich	15/2/65	5/5/66	16/12/67
Displacement	4,580 tonnes				
Length	133.2 metres				
Beam	14.3 metres				
Armament	Two 5 inch automatic rapid fire guns. Tartar anti-aircraft guided missile system. Two Ikara anti-submarine missile systems. Two sets triple mounted anti-submarine homing torpedoes				
Machinery	Two GE geared steam turbines driving two shafts				
Speed	More than 30 knots				
Ship's Company	333				

The three guided missile destroyers—HMA Ships *Perth*, *Hobart* and *Brisbane*—make up the RAN's First Destroyer Squadron.

The US-built ships are similar to the US Navy's DDG-15 class and their design is particularly versatile.

Their main task is air defence of the Fleet, but they also have formidable anti-submarine and surface gunnery capabilities.

The principal aircraft defence weapon is the Tartar guided missile system which is mounted near the stern.

The DDGs are also fitted with two Ikara missile launchers. This long-range anti-submarine system is Australian-designed and developed. The missile is automatically guided to the vicinity of a hostile submarine where a torpedo is released by parachute to home on the target.

The ships are fitted with modern long-range sonar, radar, communications and electronic equipment to provide the command with comprehensive information.

Living spaces are air conditioned.

All three ships saw action in Vietnam where they served with distinction with ships of the US Navy's 7th Fleet.

*Perth* has recently completed a weapons system update at Long Beach Naval Shipyard in the United States. *Hobart* and *Brisbane* will undergo similar updates at Garden Island Naval Dockyard, Sydney.

*Perth*, *Hobart* and *Brisbane* are the names of former RAN cruisers.





## Destroyers

Name	No.	Builder	Laid Down	First Com-Launched	First Com-missioned
VENDETTA	08	HMA Naval Dockyard Williamstown	4/7/49	3/5/54	26/11/58
VAMPIRE	11	Cockatoo Island Dockyard Sydney	1/7/52	27/10/56	23/6/59
Displacement	3,670 tonnes				
Length	118.9 metres				
Beam	13.1 metres				
Armament	Six 4.5 inch dual purpose guns in twin turrets, two forward, one aft. Six 40/60 mm Bofors guns. Triple-barrel anti-submarine mortar				
Machinery	Parsons double reduction geared turbine, driving two shafts				
Speed	More than 30 knots				
Ship's Company	321				

The Royal Australian Navy's Second Destroyer Squadron is made up of the Daring Class destroyers HMA Ships *Vendetta* and *Vampire*.

These all-purpose warships have main gunnery armament comparable to a light cruiser, giving them formidable surface gunnery as well as anti-aircraft capabilities.

Anti-submarine detection equipment and weapons increase their versatility.

*Vampire* and *Vendetta* were built in Australia, while the training ship *Duchess*—also a Daring—was built in Britain.

The three ships are all-welded and light alloys have been used extensively in their construction to reduce weight.

In 1969, *Vendetta* became the first Australian-built warship to serve in Vietnam. She had the distinction, as a result, of being the first Daring Class destroyer to engage in the role for which the ships were primarily built—naval gunfire support.

Half-life modernisation of *Vampire* and *Vendetta*, completed in 1972, included fitting new gun turrets, fire control systems, new aircraft warning and navigation radar, re-equipping the operations centre, enclosing the bridge and replacing a major part of the superstructure.

Communications equipment was renewed and living conditions on board considerably improved.

The original *Vampire* and *Vendetta* served with distinction in the 10th Destroyer Flotilla, known as the "Scrap Iron Flotilla", in World War II.





## Destroyer escorts

Name	No.	Builder	Laid Down	Launched	First Commissioned
YARRA	45	Williamstown Dockyard	9/4/57	30/9/58	27/7/61
PARRAMATTA	46	Cockatoo Island Dockyard	3/1/57	31/1/59	4/7/61
STUART	48	Cockatoo Island Dockyard	20/3/59	8/4/61	28/6/63
DERWENT	49	Williamstown Dockyard	16/6/58	17/4/61	30/4/64
SWAN	50	Williamstown Dockyard	18/8/65	16/12/67	20/1/70
TORRENS	53	Cockatoo Island Dockyard	18/8/65	28/9/68	19/1/71
Displacement	2,750 tonnes				
Length	112.8 metres				
Beam	12.5 metres				
Armament	Two 4.5 inch guns in twin turret controlled by digital fire control radar and computer. Seacat anti-aircraft missile system. Ikara anti-submarine missile system. Triple-barrel anti-submarine mortar				
Machinery	Geared steam turbines developing 22,370 kw				
Speed	More than 30 knots				
Ship's Company	250				

The Royal Australian Navy has six Australian-built destroyer escorts forming the Third Australian Destroyer Squadron.

The newest ships, HMA Ships *Swan* and *Torrens*, incorporate many improvements over the earlier River Class HMA Ships *Derwent*, *Stuart*, *Yarra* and *Parramatta*.

All the ships are armed with twin 4.5 inch guns which are used with digital fire control radar and computer.

The guns can be used for shore bombardment or can provide fire power against air or surface targets.

Close-range air and surface defence is provided by the Seacat missile system which is controlled by a separate radar and computer.

The Seacat missile system was developed in Britain and has been adopted by a number of navies.

A submarine threat can be met by using either the Australian-designed and built Ikara anti-submarine missile system, or the triple-barrelled mortars carried on all the escorts.

Ikara is a rocket-propelled guided missile which carries a homing torpedo towards its submarine target. The torpedo is dropped into the sea by parachute and is then acoustically homed on the submarine target.

All the ships in the squadron except *Derwent* carry the names of former RAN destroyers and sloops.

The four older ships in the squadron are to be extensively refitted and modernised in a dockyard program due to commence in 1976.





## Submarines

Name	No.	Builder	Laid Down	Launched	First Commissioned
OXLEY	57	Scotts' Shipbuilding Greenock	2/7/64	24/9/65	27/3/67
OTWAY	59	Scotts' Shipbuilding Greenock	29/6/65	29/11/66	22/4/68
ONSLOW	60	Scotts' Shipbuilding Greenock	26/5/67	3/12/68	22/12/69
OVENS	70	Scotts' Shipbuilding Greenock	17/6/66	4/12/67	18/4/69
ORION	61	Scotts' Shipbuilding Greenock	April 1972		
OTAMA	62	Scotts' Shipbuilding Greenock	Dec. 1972		
	Displacement	2,070 tonnes			
	Length	89.9 metres			
	Beam	8.1 metres			
	Armament	Six bow and two stern anti-surface ship and anti-submarine torpedo tubes			
	Machinery	Two English Electric main propulsion motors, with two Admiralty standard range diesel generators			
	Speed	Submerged speed more than 15 knots			
	Ship's Company	63			

The First Australian Submarine Squadron consists of four attack submarines of the Oberon class, built in the United Kingdom between 1964 and 1970. Two more Oberons are under construction for the RAN.

The Squadron is based at HMAS *Platypus*, North Sydney—a shore base specially designed to support submarines.

RAN submarines have diesel-electric propulsion and are capable of remaining submerged for several weeks, using the snort system. This enables the diesel generators to re-charge the batteries while submerged. They can dive to more than 120 metres and have a maximum submerged speed of more than 15 knots.

Their main detection system is "passive sonar"—which picks up the machinery noise radiated by other ships and submarines. A new passive sonar is currently being installed which measures the range as well as the bearing of targets. Weapons carried include guided, homing anti-submarine torpedoes as well as conventional anti-ship torpedoes.

The four submarines in service are HMAS *Oxley*, *Otway*, *Ovens* and *Onslow*; the two being built are *Orion* and *Otama*. *Oxley* and *Otway* are named after earlier Australian submarines and the name *Orion* has been chosen to preserve long-established links with the Royal Navy. *Otama* is a Queensland aboriginal word meaning dolphin—the symbol of the Submarine Arm.

HMAS *Orion* was launched at Scott's Shipyard, Greenock, Scotland, on 16 September, 1974, and is due to be completed in early 1976. HMAS *Otama* will follow nine months later.





## Mine warfare ships

Name	No.	Builder	Laid Down	Launched	First Commissioned in RAN
SNIFE	1102	Thornycroft, UK	Jul. 51	5/1/53	11/9/62
CURLEW	1121	Montrose, UK	April 53	6/10/53	21/8/62
IBIS	1183	Montrose, UK	Oct. 53	18/11/55	7/9/62
	Displacement	489 tonnes			
	Length	46.6 metres			
	Beam	8.5 metres			
	Armament	Two 40/60 mm Bofors guns (one on minehunters)			
	Machinery	Napier diesel engines developing 2240 kw.			
	Speed	More than 15 knots			
	Ship's Company	34 (minesweeper) 38 (minehunter)			

The First Australian Mine Countermeasures Squadron is made up of three Ton Class mine countermeasure ships.

Of British design and construction, the ships were modified in the UK before joining the Australian Fleet in 1962.

Originally the squadron consisted of six ships fitted as minesweepers. The squadron has since been reduced to three ships, and HMAS *Curlew* and HMAS *Snipe* have been converted to minehunters.

HMAS *Ibis* is still fitted for minesweeping. She carries devices to explode acoustic and magnetic as well as contact mines. She can also detect and destroy other underwater obstructions which would be hazardous to shipping.

The wooden-hulled mine countermeasure ships are themselves non-magnetic and are sufficiently silent not to actuate acoustic mines.

Mine hunting is the latest advance in mine countermeasures and the re-equipped *Curlew* and *Snipe* are significant additions to the Australian Fleet.

Mine hunting is complementary to mine sweeping and is carried out in a different way.

Using a high definition sonar set, the minehunter locates mines ahead of the ship.

When a mine is located, clearance divers go into the water to identify it and decide whether to render it safe and remove it, or to blow it up with an explosive charge.





## Patrol boats

Name	No.	Builder	Laid Down	First Com- Launched	missioned
ACUTE	81	Evans Deakin Ltd	Apr. 67	26/8/67	26/4/68
ADROIT	82	Evans Deakin Ltd	Aug. 67	3/2/68	17/8/68
ADVANCE	83	Walkers Ltd	Mar. 67	16/8/67	24/1/68
ARDENT	87	Evans Deakin Ltd	Oct. 67	27/4/68	26/10/68
ASSAIL	89	Evans Deakin Ltd	Aug. 67	18/11/67	12/7/68
ATTACK	90	Evans Deakin Ltd	Sep. 66	8/4/67	17/11/67
AWARE	91	Evans Deakin Ltd	Jul. 67	7/10/67	21/6/68
BARBETTE	97	Walkers Ltd	Nov. 67	10/4/68	16/8/68
BARRICADE	98	Evans Deakin Ltd	Dec. 67	29/6/68	26/10/68
BOMBARD	99	Walkers Ltd	Apr. 68	6/7/68	5/11/68
BUCCANEER	100	Evans Deakin Ltd	Jun. 68	14/9/68	11/1/69
BAYONET	101	Walkers Ltd	Oct. 68	6/11/68	22/2/69
Displacement	149 tonnes				
Length	32.6 metres				
Beam	6.1 metres				
Armament	40/60 mm Bofors gun, machine gun and a variety of light arms				
Machinery	Two 16 cylinder diesels, producing more than 2240 kw.				
Speed	More than 20 knots				
Ship's Company	19				

Twenty patrol boats were built in Queensland shipyards for patrol and survey work in waters around Australia and Papua-New Guinea. Five of these, *Aitape*, *Ladava*, *Lae*, *Madang* and *Samarai*, now form a Papua New Guinea Defence Force patrol boat squadron. Two others, *Archer* and *Bandolier*, have been presented to Indonesia, and a third, *HMAS Arrow*, was lost during Cyclone Tracy in Darwin.

The remaining twelve ships make up the Navy's patrol boat squadrons.

These ocean-going ships have a variety of tasks, including the patrol of fishing grounds close to the coastline.

They assist RAN survey ships in sounding and survey work.

The 32.6 metre patrol boats are also used for Reserve training.

The speed and versatility of the patrol boats have made them useful for helping disabled craft, for use as sea-air rescue boats and for transporting patients from remote shallow ports.

Major excursions have been made deep into Papua New Guinea river systems.

Included in the ships' equipment is high definition navigation radar, high and ultra-high frequency radio transmitters and receivers, gyro and magnetic compasses and echo sounders.

All the patrol boats are fully air conditioned.





## Amphibious craft

Name	No.	Builder	Laid Down	Launched	First Commissioned
BALIKPAPAN	L126	Walkers Ltd	May 71	15/8/71	8/12/71
BRUNEI	L127	Walkers Ltd	Jul. 71	15/10/71	5/1/73
LABUAN	L128	Walkers Ltd	Oct. 71	29/12/71	9/3/73
TARAKAN	L129	Walkers Ltd	Dec. 71	16/3/72	15/6/73
WEWAK	L130	Walkers Ltd	Mar. 72	18/5/72	10/8/73
BETANO	L133	Walkers Ltd	Sep. 72	5/12/72	8/2/74
	Displacement	316 tonnes			
	Length	44.5 metres			
	Beam	10.1 metres			
	Armament	Two 0.5 inch machine guns			
	Speed	More than nine knots			
	Ship's Company	Two officers, 11 sailors			

For the first time since World War II, the RAN has a landing craft squadron. Called Landing Craft Heavy (LCH), the first ship, HMAS *Brunei*, joined the Fleet on January 5, 1973.

The squadron is based at HMAS *Moreton*, the RAN shore establishment at Brisbane, where the commanding officer is also the LCH Squadron Commander.

At the end of August 1973, four LCHs had been commissioned into the RAN—HMA Ships *Brunei*, *Labuan*, *Tarakan* and *Wewak*. Four others—HMA Ships *Salamaua*, *Buna*, *Betano* and *Balikpapan*—were commissioned in the period up to mid-1974.

Two LCHs, *Buna* and *Salamaua*, have been handed over to the Papua New Guinea Defence Force.

*Balikpapan*, the prototype LCH, was manned by the Army until July, 1974. She went through extensive joint Navy/Army evaluation trials in 1972.

The sea-going ships, all built at Walkers Ltd shipyards, Maryborough, Queensland, are each manned by two officers and 11 sailors. They will be employed primarily in providing support for the Army, although one will normally be allocated to the Navy for hydrographic survey work.

As the names suggest, the ships are all named after World War II amphibious operations in which RAN ships and craft put Australian Army units ashore or did surveys preparatory to the landings.

The versatile LCHs can carry the heaviest equipment in the Army's order of battle (up to three Centurion tanks, for example).





## Training ship

Name	No.	Builder	Laid Down	First Com- Launched	missioned
DUCHESS	154	Thornycroft, Southampton	2/7/48	9/4/51	23/10/52
Displacement	3,665 tonnes				
Length	118.9 metres				
Beam	13.1 metres				
Armament	Four 4.5 inch dual purpose guns in twin turrets forward. Two 40/60 mm Bofors guns.				
Machinery	Parsons double reduction geared turbine, driving two shafts				
Speed	More than 30 knots				
Ship's Company	260				


The Daring Class destroyer HMAS *Duchess* is the RAN's training ship.

*Duchess*, formerly a Royal Navy ship, was built in Britain and commissioned in 1952. She served at Suez during the 1956 crisis and escorted aircraft carriers in the Aden area in 1963. She was lent to the RAN in 1964 and was bought by the Australian Government in 1972.

*Duchess* has served in recent years as a member of the Second Australian Destroyer Squadron.

Changes have been made to *Duchess* to convert her to her training role.

Trainees in the ship include young sailors, cadet midshipmen from the RAN College, midshipmen from the Papua New Guinea Division of the RAN and officer cadets from other countries. Normally they spend several months at sea learning navigation, seamanship, engineering, communications and other aspects of naval life.





Name	No.	Builder	Laid Down	Launched	First Commissioned		
STALWART	215	Cockatoo Island Dockyard	23/6/64	7/10/66	9/2/68		
SUPPLY	195	Harland and Wolff Belfast	5/8/52	1/9/54	15/8/62		
			<table border="0"> <tr> <td style="text-align: center;">STALWART</td> <td style="text-align: center;">SUPPLY</td> </tr> </table>			STALWART	SUPPLY
STALWART	SUPPLY						
Displacement	10,700 tonnes		26,500 tonnes				
Length	157 metres		177.7 metres				
Beam	20.4 metres		21.6 metres				
Armament	Two 40/60 mm Bofors guns twin mountings. Provision for Seacat close-range missiles		Two twin, two single mountings, 40/60 mm Bofors guns				
Machinery	Two six-cylinder diesel engines developing 10,740 kw.		Double reduction geared turbines developing 11,185 kw. (shaft)				
Speed	More than 20 knots		More than 16 knots				
Ship's Company	396		205				

## Destroyer tender

The destroyer tender HMAS *Stalwart* is the largest naval vessel wholly designed and built in Australia.

Her role is to provide destroyers with repair and maintenance facilities on a mobile basis so the ships can spend the maximum time on duty in their operational areas.

For this job the ship is equipped with extensive engineering, electrical, electronic, weapons, shipwright and other workshops, staffed by experts in a wide variety of trades and professions.


Several destroyers can be maintained by *Stalwart* at a time and three-quarters of *Stalwart's* ship's company of nearly 400 are available for repair and maintenance duties.

## Fleet oiler

HMAS *Supply*, the largest ship in the RAN, has the important task of refuelling fleet units to give ships greater range and mobility.

She supplies furnace fuel, aviation gasoline, diesel oil and water to other ships while they are underway.

In a typical operation a destroyer will steam alongside *Supply* at about 15 knots. With only about 30 metres between ships, lines are shot across, hoses are run across and connected, and pumping begins. A destroyer can be refuelled in this way in less than half an hour.





## Survey ships

Name	No.	Builder	Laid Down	First Com-Launched	Commissioned
MORESBY	73	Newcastle State Dockyard	May 62	7/9/63	6/3/64
FLINDERS	312	Williamstown N.D.	Dec. 70	29/7/72	27/4/73
DIAMANTINA	266	Walkers Ltd. Maryborough	12/4/43	6/4/44	27/4/45
KIMBLA	314	Walkers Ltd. Maryborough	4/11/53	23/3/55	26/3/56

	MORESBY	FLINDERS
Displacement	2,340 tonnes	765 tonnes
Length	95.7 metres	49.1 metres
Beam	12.8 metres	10.1 metres
Machinery	Diesel electric main engines	Two diesel engines
Speed	More than 18 knots	More than 13 knots
Ship's Company	146	38

	DIAMANTINA	KIMBLA
Displacement	2,040 tonnes	765 tonnes
Length	91.8 metres	54.6 metres
Beam	11.2 metres	9.8 metres
Armament	One 40/60 mm Bofors gun	
Machinery	Triple expansion; two Admiralty 3-drum boilers	Triple expansion steam engine
Speed	More than 19 knots	More than 10 knots
Ship's Company	121	40

Surveying of Australian and Papua New Guinea waters, which combined involve 30,000 km of coastline and cover about one eighth of the earth's surface, is the mammoth task entrusted to the RAN Hydrographic Service.

The stepped-up exploitation of Australia's vast mineral resources in recent years based on bulk handling methods has led to the development of new ports such as Gove, Weipa, Spring Bay, Dampier and Port Hedland.

The largest bulk carriers in the world now call at Australian ports and there is a continuing need for new and more accurate surveys of shipping routes and harbour approaches.

Four RAN ships are engaged full time in this work and on oceanographic research. They are HMA Ships *Moresby*, *Flinders*, *Diamantina* and *Kimbla*, helped at times by other Fleet units.

*Moresby* is a large modern survey ship. She operates her own helicopter and carries advanced electronic surveying equipment.

A new hydrographic ship, the 765 tonne *Flinders*, has replaced the 342 tonne *Paluma*, which was commissioned in 1957.

The two other ships, *Diamantina*, a converted frigate, and *Kimbla* are mainly engaged on military and civilian oceanographic research including work for the CSIRO, universities and museums.

*Diamantina* will soon be replaced by another new hydrographic ship, HMAS *Cook*, similar to *Moresby* but slightly larger, and fitted with the most up-to-date oceanographic and survey equipment.



• Top left—HMAS Moresby • Top right—HMAS Flinders • Bottom left—HMAS Diamantina • Bottom right—HMAS Kimbla



Name	No.	Builder	First Com- Launched missioned	
BANKS	244	Walkers Ltd. Maryborough	15/12/59	16/2/60
BASS	247	Walkers Ltd. Maryborough	28/3/60	15/11/60
Displacement		180 tonnes ( <i>Bass</i> ) 148 tonnes ( <i>Banks</i> )		
Length		28.3 metres		
Beam		7 metres		
Machinery		Twin-screw engine		
Speed		10 knots		
COOK		Standard, 1,945 tonnes		
Displacement		Full load, 2,550 tonnes		
Length		96.6 metres		
Beam		13.4 metres		
Main Engines		Diesel, 2 shafts, 2,240 kw.		
Speed		17 knots		
Oil Fuel		560 tonnes		
Ship's Company		151, including scientific staff		

## Support ships

The Royal Australian Navy has two general purpose ships, HMAS *Bass* and HMAS *Banks*, of the Explorer Class, built at Walkers Ltd. shipyards, Maryborough, Queensland.

In June 1967, *Bass* was assigned as a Naval Reserve training ship in Tasmanian waters and a month later *Banks* was assigned to similar duties in South Australian waters. Normally they have complements of two officers and 12 sailors, but during training cruises they may carry more.

Both ships provide training of officers and sailors in the seamen, electrical, engineering and communications branches of the Naval Reserve.

## Future ships

As well as HMAS *Flinders*, which was commissioned in 1973, the RAN's oceanographic and hydrographic service is to have another new ship. She is HMAS *Cook*, which will replace HMAS *Diamantina*.

Plans have been made to buy two Guided Missile Frigates FFGs from the United States. Delivery is planned for the early 1980s.

In addition to escort duties, the FFG will have a capability for conducting prolonged independent patrol and surveillance type operations. Armament includes a missile system, two armed helicopters, a 76 mm gun and two triple anti-submarine torpedo tubes.

The Government has also approved the construction of a 6,000 tonne Amphibious Heavy Lift Ship for the RAN. The new ship will be designed and equipped to provide maximum versatility in all forms of amphibious operations.




• HMAS *Bass*



• Artist's impression of the FFG



• Artist's impression of HMAS *Cook*



• Artist's impression of the AHLS





## Aircraft

The Skyhawk jet fighter-bomber (top left) is the air defence and strike aircraft of the Fleet Air Arm.

These transonic aircraft are ideal for high pay load/wide radius operations in tactical air support and they have increased the versatility of the aircraft carrier HMAS *Melbourne*.

The Douglas A4-G Skyhawk is a relatively small aircraft (weight empty—4450 kg) but it is capable of carrying an extensive and varied war load (maximum all-up weight—11,126 kg) over a considerable distance.

Its armaments include combinations of air-to-air missiles, a variety of 250, 500 and 1000 lb bombs, 20 mm cannon and rockets.

Embarked on *Melbourne* with the Skyhawks are anti-submarine Tracker aircraft and Wessex helicopters.

The Grumman S2E Tracker (below left) is an all-weather, twin-engine aircraft. It can remain on patrol for up to 10 hours and each carries a crew of two pilots, an observer and an aircrewman.

The Tracker is fitted with electronic devices for submarine detection and can be armed with homing torpedoes or depth charges.

The Westland Sea King Mk 50 helicopter, which doubles in a search and rescue role, is equipped with sonar for its anti-submarine duties and can also be armed with homing torpedoes or depth charges.

The Sea King carries a crew of two pilots, an observer and an aircrewman.

Training and support aircraft of the Royal Australian Navy include Westland Wessex 31B and Iroquois utility and search and rescue helicopters, Bell Kiowa helicopters, Macchi jet trainers and Hawker Siddeley 748 training aircraft.



● Above left—Hawker Siddeley 748

● Above right—Sea King (foreground) and Wessex helicopters

● Bottom left—Macchi Jets

● Bottom right—Iroquois



Published for the Department of  
Defence by the Australian Govern-  
ment Publishing Service, Canberra,  
1976

ISBN 0 642 01998 3 R74/2827

Printed by Kerton Bros. (S.A.) Pty. Ltd.  
Edwardstown, S.A.